

STARLITE LAMPS



We have most sizes of Full Spectrum, if you don't see what you need please call us Toll Free 1-800-392-3552.

All lamps have the same Kelvin and CRI, the life ratings are from 10,000 to 36,000 hours.

TYPE	Watts	Diameter	Base	Description	Kelvin	UVA	UVB	Code	Case	Lumens
PL	13 Watt	T-4	GX23	PL Starlite®	5750	6%	1.3%	8813	30	800
Spiral	20 Watt	T-4	Med Base	Spiralite Starlite	5750	6%	1.3%	7090	30	1500
4 Pin	18 Watt	T-4	4 Pin 2G11	F18BX Starlite 10.5"	5750	6%	1.3%	8000	50	1250
"	28 Watt	T-4	4 Pin 2G11	F27BX Starlite® 12.8"	5750	6%	1.3%	8006	50	2000
"	36 Watt	T-4	4 Pin 2G11	F36BX Starlite® 16.6"	5750	6%	1.3%	8012	50	2900
"	40 Watt	T-4	4 Pin 2G11	F40BX Starlite® 22.6"	5750	6%	1.3%	8016	50	3150
"	55 Watt	T-4	4 Pin 2G11	F55BX Starlite® 21.1"	5750	6%	1.3%	8018	50	4800

Circle	22 Watt	T-8	4 Pin G10q	FC8T9 Starlite® 8.3"	5750	6%	1.3%	8020	12	925
"	32 Watt	T-8	4 Pin G10q	FC12T9 Starlite® 12"	5750	6%	1.3%	8026	12	1675
Circle Fixture	18 Watt	T-5	Med Base	Ring Lamp With Electronic Ballast	5750	6%	1.3%	8950	1	
"	30 Watt	T-5	Med Base	Double Ring Lamp W/3 Way Electronic	5750	6%	1.3%	8970	1	
Fixture	27 Watt	T-5	Power Cord	Ergo Desk Lamp	5750	6%	1.3%	9010	1	2000
"	27 Watt	T-5	Power Cord	Ergo Floor Lamp	5750	6%	1.3%	9020	1	2000
4 Pin Quad	27 Watt	T-5	4 Pin 2G10	Quad-F Starlite Lamp	5750	6%	1.3%	8004	10	2000

Standard	15	T-8 18"	BiPin	18" Starlite	5750	6%	1.3%	8504	24	610
"	20	T-12 24"	BiPin	24" Starlite	5750	6%	1.3%	8616	30	855
"	30	T-12 36"	BiPin	36" Starlite	5750	6%	1.3%	8772	30	1680
"	34	T-12 48"	BiPin	48" Starlite E/S	5750	6%	1.3%	8739	30	2146
Electronic	32	FO32 T-8	BiPin	48" Starlite	5750	6%	1.3%	8544	30	1800
"	40	FO40 T-6	BiPin	48" Starlite (T-8 retro)	5750	6%	1.3%	8548	25	2200
Standard	40	T-12 48"	BiPin	48" Starlite	5750	6%	1.3%	8796	30	2210
	40	T-12 48"	BiPin	48" Starlite	5750	6%	1.3%	8836	10	2210
Electronic	54	T-5 HO	Mini BiPin	48" Starlite	5750	6%	1.3%	8839	40	3500
Electronic	32	T-8 22.5"	BiPin	FO U Shape Starlite	5750	6%	1.3%	8685	20	2850
Standard	40	T-12 22.5"	BiPin	U Shape Starlite	5750	6%	1.3%	8684	12	3050
"	75	T-12 96"	Single	96" Starlite	5750	6%	1.3%	8716	15	4510
HO	60	T-12 48"	RDC	48" Starlite HO	5750	6%	1.3%	6012	30	3600
"	85	T-12 72"	RDC	72" Starlite HO	5750	6%	1.3%	8545	15	6700
"	110	T-12 96"	RDC	96" Starlite HO	5750	6%	1.3%	8720	15	7600

Product Watts:

Product Bases:

Product Notes: 1-800-392-3552

